



## Standard Containers

Suitable for every normal cargo



**20' Dry Freight Container**

**40' Dry Freight Container**

Maximum Inside Dimensions			Door Opening		Top Opening		Tare W (kg)
L	W	H	W	H	L	W	
5.919m 22'6 1/2"	2.340m 7'8"	2.380m 7'9 1/2"	2.286m 7'6"	2.278m 7'5 1/2"			1,900 4,188
12.051m 39'6 1/2"	2.340m 7'8"	2.380m 7'9 1/2"	2.286m 7'6"	2.278m 7'5 1/2"			3,060 8,790 3,630k 8,093lb

## High Cube Container

Specifically for light, voluminous cargoes or those for excessive height



**40' High Cube Container**

**45' High Cube Container**

Maximum Inside Dimensions			Door Opening		Top Opening		Tare W (kg)
L	W	H	W	H	L	W	
12.056m 39'6 1/2"	2.347m 7'8 1/4"	2.684m 8'9 1/2"	2.340m 7'8"	2.584m 8'5 3/4"			2,900 6,390
13.582m 44'6 1/2"	2.347m 7'8 1/4"	2.690m 8'10"	2.340m 7'8"	2.584m 8'5 3/4"			4,110 9,060

## Open Top Container

With Tarpaulin (20' and 40') or as hardtop (20')

Specifically for cargoes of excessive height, for loading from above or loading from door end thanks to removable doorhead



**20' Open Top Container**

**40' Open Top Container**

Maximum Inside Dimensions			Door Opening		Top Opening		Tare W (kg)
L	W	H	W	H	L	W	
5.919m 44'6 1/2"	2.340m 7'8"	2.286m 7'6"	2.286m 7'6"	2.278m 7'5 1/2"	5.425m 17'9 1/2"	2.222m 7'3 1/2"	2,170 4,790
12.043m 39'6"	2.338m 7'8"	2.272m 7'5 1/4"	2.279m 7'5 1/2"	2.272m 7'5 1/4"	11.585m 38"	2.222m 7'1"	4,300 9,480

## Flats

Specifically for heavy-lifts and overwidth cargoes.

Non-containerisable cargo can be accommodated on several Flats positions



**20' Flat Rack Container**

**40' Flat Rack Container**

**40' Collapsible Flat Rack**

Maximum Inside Dimensions			Door Opening		Top Opening		Tare W (kg)
L	W	H	W	H	L	W	
5.207m 13'8 1/2"	2.438m 8'	2.327m 7'7 1/2"					2,330 5,130
11.820m 39'9 1/4"	2.148m 7'6"	2.095m 6'10 1/2"					5,260 11,590
12.08m 39'7 1/2"	2.126m 6'11 1/2"	2.043m 6'8 1/4"					5,800 12,780

